

# SAFETY DATA SHEET - COVER PAGE

Standard GHS or REACH/EU Compliant SDS begins on the following page.  
This page is provided to customers for their assistance and is not part of the Standard Safety Data Sheet.

<b>Product:</b> Dielectric Solvent DS-200	<b>Manufacturer:</b> Engineered Fluids, Inc. 4917 Profit Drive, Tyler, TX 75707 USA +1-725-281-1921
--	--

**General Description:** Dielectric Solvent DS-200 is a dielectric cleaner and metal protector..

Here is a Quick Guide to Important Information Contained in the SDS:

Characteristic	DS-200	SDS Section
<b>Toxicity</b>	Nontoxic to Humans	Section 11
<b>Handling</b>	Use Personal Protective Equipment	Section 7.1 + 8.2.2
<b>In Case of Spills</b>	Treat as a biodegradable light oil	Section 6
<b>In case of Fire</b>	DS-200 is fire-resistant but will burn. Treat as a light hydrocarbon oil.	Section 5
<b>Transportation</b>	Not Regulated	Section 14
<b>Biodegradation</b>	Biodegradable	Section 12.2
<b>WGK - assergefährdungsklasse</b> <b>WHC - Water Hazard Class</b>	WGK =1 (Low Hazard)	Section 15

**Emergency Telephone Number:** +1-352-323-3500 Available 24 hours

**Factory Telephone Number:** +1-725-218-1981 Available 8-5 CST

Clarification Note to Hazard Statement (Section 2): To provide practical and compliant health safety warnings under the GHS Communications and REACH Standards, Engineered Fluids has provided these additional clarifying statements to assist our users in fully understanding the safety risks posed by our products.

The GHS Communication Standard requires that all hydrocarbon based chemicals be designated a Category 1 Aspiration Hazard if they have a kinematic viscosity  $\leq 20.5$  mm<sup>2</sup>/s @40 C. This includes products like our Dielectric Coolants, regardless of all other characteristics (including their biodegradation, non-toxicity, and food grade certification)

Some Engineered Fluids' products have a kinematic viscosity  $\leq 20.5$  mm<sup>2</sup>/s, measured at 40 C, and therefore must be labeled as a Aspiration Hazard to comply with GHS Communications standards, even though this safety statement does not correctly describe the risk posed by use of the products.

These products do not pose a toxicity risk if small amounts are swallowed or ingested. However, the standardized wording does not make this differentiation clear and requires the statement "swallowed and enters airways," even though there is little health risk posed by swallowing.

DS-200 has a very low vapor pressure, thus there is no inhalation hazard for fumes or vapors within the operating temperature range.

The most probable hazard related to aspiration posed by DS-200 is the inhalation of a "mist" of the product. The definition of a "mist" for the purposes of this SDS is the creation of product particles suspended in air which are created by spraying the product at high pressure through a small orifice.

Contact Engineered Fluids, Inc. for more information.

# Dielectric Solvent DS-200

## Safety Data Sheet

COMBINED GHS and REACH SDS according to the following :  
REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 and Ref: CSSS-TCO-010-155483  
OSHA Hazard Communication Standard (29 CFR 1910.1200 - GHS Rev 7, May 2024)

Issue Date: 20251001

Revision Date: 12-Jan-26

### SECTION 1: Identification of the substance / mixture and of the company / undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Dielectric Solvent DS-200  
Additional identification : **Error! No document variable supplied.**

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Dielectric Cleaner and Metal Protectant

##### 1.2.2. Uses advised against

Restrictions on use : For professional use only

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Engineered Fluids, Inc.  
4917 Profit Drive  
Tyler, TX 75707 USA  
+1-725-218-1981

[support@engineeredfluids.com](mailto:support@engineeredfluids.com)

##### E.U. Only Representative:

1.4. Emergency telephone number +1-352-323-3500

# Dielectric Solvent DS-200

## Safety Data Sheet

COMBINED GHS and REACH SDS according to the following :  
 REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 and Ref. CSSS-TCO-010-155483  
 OSHA Hazard Communication Standard (29 CFR 1910.1200 - GHS Rev 7, May 2024)

Issue Date: 20251001

Revision Date: 12-Jan-26

### SECTION 2: Hazards identification


#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aspiration hazard, Category 1 H304

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Full text of H- and EUH-statements: see section 16

Symbol	Signal Word	Hazard	Hazard statements
	Error! No document variable supplied.	Error! No document variable supplied.	Error! No document variable supplied.
	DANGER	H304	May be fatal if swallowed and enters airways.

Precautionary statements (CLP)

#### PREVENTION:

- P261: Avoid breathing mist / vapors.
- P271: Use only outdoors or in a well-ventilated area.

#### RESPONSE:

- P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- P312: Call a POISON CENTRE or doctor/physician if you feel unwell.
- P331: Do NOT induce vomiting.

#### STORAGE:

- P405: Store locked up.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# Dielectric Solvent DS-200

## Safety Data Sheet

COMBINED GHS and REACH SDS according to the following :  
 REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 and Ref: CSSS-TCO-010-155483  
 OSHA Hazard Communication Standard (29 CFR 1910.1200 - GHS Rev 7, May 2024)

Issue Date: 20251001

Revision Date: 12-Jan-26

### SECTION 3: Composition / information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Chemical Name	Registration No.	CAS No.	EC No.	Concentration	Classification	Specific Concentration limits
1-Dodecene, Dimer Hydrogenated	01-0000016387-64-0006	151006-61-0	417-060-2	99.7	H304	N/A
2,6-Di-tert-butyl-4-methylphenol		128-37-0	204-881-4	0.3	Aquatic Chronic 4, H413	N/A

# Dielectric Solvent DS-200

## Safety Data Sheet

COMBINED GHS and REACH SDS according to the following :  
REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 and Ref. CSSS-TCO-010-155483  
OSHA Hazard Communication Standard (29 CFR 1910.1200 - GHS Rev 7, May 2024)

Issue Date: 20251001

Revision Date: 12-Jan-26

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Call a poison center or a doctor if you feel unwell.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
- First-aid measures after skin contact : After contact with skin, immediately remove contaminated clothing, and wash with plenty of water. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse eyes with water as a precaution. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after ingestion : Risk of lung oedema.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

#### 5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : Toxic fumes may be released. On combustion, forms: carbon oxides (CO and CO<sub>2</sub>).

#### 5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray.

##### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

# Dielectric Solvent DS-200

## Safety Data Sheet

COMBINED GHS and REACH SDS according to the following :  
REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 and Ref: CSSS-TCO-010-155483  
OSHA Hazard Communication Standard (29 CFR 1910.1200 - GHS Rev 7, May 2024)

Issue Date: 20251001

Revision Date: 12-Jan-26

---

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wear personal protective equipment. Use only in a well-ventilated area.  
Avoid breathing dust/fume/gas/mist/vapours/spray.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**Appropriate engineering controls:**  
Ensure good ventilation of the work station.

# Dielectric Solvent DS-200

## Safety Data Sheet

COMBINED GHS and REACH SDS according to the following :  
REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 and Ref: CSSS-TCO-010-155483  
OSHA Hazard Communication Standard (29 CFR 1910.1200 - GHS Rev 7, May 2024)

Issue Date: 20251001

Revision Date: 12-Jan-26

### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves should be used. These should be resistant to aliphatic hydrocarbons, with a nitrile rubber coating of at least 0.12 mm thickness. These gloves have a typical measured breakthrough time of >300 minutes. Gloves should be inspected and changed when wear, tearing, punctures or chemical saturation is evident.

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: clear.
Odour	: Slight hydrocarbon.
Odour threshold	: Not available
Melting point	: -65 C
Freezing point	: -65 C
Boiling point	: >330C
Flammability	: Not flammable (Combustible, type III)
Lower explosion limit	: 0.5% calculated
Upper explosion limit	: 6.5% calculated
Flash point	: 65 C

# Dielectric Solvent DS-200

## Safety Data Sheet

COMBINED GHS and REACH SDS according to the following :  
REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 and Ref: CSSS-TCO-010-155483  
OSHA Hazard Communication Standard (29 CFR 1910.1200 - GHS Rev 7, May 2024)

Issue Date: 20251001

Revision Date: 12-Jan-26

---

Auto-ignition temperature	: 350 °C
Decomposition temperature	: 350 °C
pH	: Not applicable
Viscosity, Kinematic, cSt.@ 40C	: 8.1
Viscosity, dynamic, cP @ 40C	: 6.6
Solubility	: insoluble in water. Water: ≤ 90 ppm (20°C)
Partition coefficient n-octanol/water (Log Kow)	: >4.82@20C
Vapour pressure at 20°C, kPA	: 0.01
Vapour pressure at 50°C, kPA	: Not available
Density, g/cc	: 0.8
Relative density	: 0.8
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid high temperatures. Heat or source of heat. Incompatible materials.

### 10.5. Incompatible materials

Oxidising agents.

### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

# Dielectric Solvent DS-200

## Safety Data Sheet

COMBINED GHS and REACH SDS according to the following :  
 REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 and Ref: CSSS-TCO-010-155483  
 OSHA Hazard Communication Standard (29 CFR 1910.1200 - GHS Rev 7, May 2024)

Issue Date: 20251001

Revision Date: 12-Jan-26

Acute toxicity (dermal) : Not classified  
 Acute toxicity (inhalation) : Harmful if liquid is inhaled.

Dielectric Solvent DS-200	
LD50 oral rat	> 10000 mg/kg
LD50 dermal rabbit	> 10000 mg/kg

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The substance/mixture has no endocrine disrupting properties.

#### 11.2.2. Other information

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology – general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Not rapidly degradable

# Dielectric Solvent DS-200

## Safety Data Sheet

COMBINED GHS and REACH SDS according to the following :  
 REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 and Ref: CSSS-TCO-010-155483  
 OSHA Hazard Communication Standard (29 CFR 1910.1200 - GHS Rev 7, May 2024)

Issue Date: 20251001

Revision Date: 12-Jan-26

Dielectric Solvent DS-200	
LC50 96h - Fish [1]	> 10000 mg/l
EC50 48h - Crustacea [1]	> 10000 mg/l
EC50 72h - Algae [1]	> 1000 mg/l

### 12.2. Persistence and degradability

Dielectric Solvent DS-200	
Persistence and degradability	Ultimately Biodegradable

### 12.3. Bioaccumulative potential

Dielectric Solvent DS-200	
Partition coefficient n-octanol/water (Log Kow)	>4.82@20C
Bioaccumulative potential	No bioaccumulation potential.

### 12.4. Mobility in soil

No additional information available

### 2.5. Results of PBT and vPvB assessment

Dielectric Solvent DS-200	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The substance/mixture has no endocrine disrupting properties.

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

# Dielectric Solvent DS-200

## Safety Data Sheet

COMBINED GHS and REACH SDS according to the following :  
 REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 and Ref: CSSS-TCO-010-155483  
 OSHA Hazard Communication Standard (29 CFR 1910.1200 - GHS Rev 7, May 2024)

Issue Date: 20251001

Revision Date: 12-Jan-26

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.2. UN proper shipping name</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Dielectric Solvent DS-200

## Safety Data Sheet

COMBINED GHS and REACH SDS according to the following :  
 REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 and Ref. CSSS-TCO-010-155483  
 OSHA Hazard Communication Standard (29 CFR 1910.1200 - GHS Rev 7, May 2024)

Issue Date: 20251001

Revision Date: 12-Jan-26

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	Dielectric Solvent DS-200	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester -	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

##### 15.1.2. National regulations

###### Germany

- Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
- Water hazard class (WGK) : WGK=1 Low Harzard
- Storage class (LGK, TRGS 510) : LGK 10 - Combustible liquids.

# Dielectric Solvent DS-200

## Safety Data Sheet

COMBINED GHS and REACH SDS according to the following :  
 REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 and Ref: CSSS-TCO-010-155483  
 OSHA Hazard Communication Standard (29 CFR 1910.1200 - GHS Rev 7, May 2024)

Issue Date: 20251001

Revision Date: 12-Jan-26

Joint storage table	:	<table border="1"> <tr> <td>LGK 1</td> <td>LGK 2A</td> <td>LGK 2B</td> <td>LGK 3</td> <td>LGK 4.1A</td> </tr> <tr> <td>LGK 4.1B</td> <td>LGK 4.2</td> <td>LGK 4.3</td> <td>LGK 5.1A</td> <td>LGK 5.1B</td> </tr> <tr> <td>LGK 5.1C</td> <td>LGK 5.2</td> <td>LGK 6.1A</td> <td>LGK 6.1B</td> <td>LGK 6.1C</td> </tr> <tr> <td>LGK 6.1D</td> <td>LGK 6.2</td> <td>LGK 7</td> <td>LGK 8A</td> <td>LGK 8B</td> </tr> <tr> <td>LGK 10</td> <td>LGK 11</td> <td>LGK 12</td> <td>LGK 13</td> <td>LGK 10-13</td> </tr> </table>	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13
LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A																							
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B																							
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C																							
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B																							
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13																							
Joint storage not permitted for	:	LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7.																									
Joint storage with restrictions permitted for	:	LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2.																									
Joint storage permitted for	:	LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.																									
Hazardous Incident Ordinance (12. BImSchV)	:	Is not subject of the Hazardous Incident Ordinance (12. BImSchV)																									

### Netherlands

ABM category	:	Not determined
SZW-lijst van kankerverwekkende stoffen	:	None of the components are listed
SZW-lijst van mutagene stoffen	:	None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	:	None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	:	None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	:	None of the components are listed

### Denmark

Danish National Regulations	:	Young people below the age of 18 years are not allowed to use the product
-----------------------------	---	---

### Switzerland

Storage class (LK)	:	LK 6.1 - Toxic materials
--------------------	---	--------------------------

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association

# Dielectric Solvent DS-200

## Safety Data Sheet

COMBINED GHS and REACH SDS according to the following :  
 REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 and Ref: CSSS-TCO-010-155483  
 OSHA Hazard Communication Standard (29 CFR 1910.1200 - GHS Rev 7, May 2024)

Issue Date: 20251001

Revision Date: 12-Jan-26

<b>Abbreviations and acronyms:</b>	
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

<b>Full text of H- and EUH-statements:</b>	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
H304	Aspiration hazard, Category 1
H413	May cause long lasting harmful effects to aquatic life.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.